orm PTO-1449		root oction dime		et Number (Optional) -051.01		Application Number 09/998,944	
	IN AN A	ISCLOSURE CITES	Appli	cant			
(U	ise several	sheeis if necessary)	and D Filing	3 Date per 31, 2001		Group Art Unit 2877	
			₽ U	S. PATENT DOCUMEN	TS		
EXAMINER INITIAL	DOC	UMENT NUMBER IN	DENTATE	NAME	d Las	S SUBCLASS	FILING DATE IF APPROPRIATE
SAT	AAA	4,571,650	2/18/86	Ojima et al.			
1	AAB	4,603,931	08/05/86	Ruffman			
	AAC	4,615,582	10/07/86	Lefevre et al.			
	AAD	4,630,229	12/16/86	D'Hondt			
	AAE	4,630,890	12/23/86	Ashkin et al.			
	AAF	4,637,722	1/20/87	Kim			
	AAG	4,668,264	05/26/87	Dyott			
	ААН	4,669,814	06/02/87	Dyott			
	AAI	4,697,876	10/06/87	Dyott			
	LAA	4,705,399	11/10/87	Graindorge et al.			
	AAK	4,712,866	12/15/87	Dyott			
	AAL	4,733,938	03/29/88	Lefevre et al.			
1	AAM	4,740,085	04/26/88	Lim			
SAT	AAN	4,755,021	07/05/88	Dyott			
	'		FOR	EIGN PATENT DOCUM	ENTS '		
	DOG	CUMENT NUMBER	DATE	COUNTRY	CLA	SS SUBCLASS	Translation YES NO
	EA	DE 33-05-104-A1	16 Aug 84	German			X
	EB	~ FR 2 535 463A	18 May 84	France			
	EC '	DE 36 15 305 A1	12 Nov. 87	Oei man			Х
	ED_	DE 37 42 201 A1	22 June 89	Germany	x		
	EE	EP 0 551 874 A2	21 Jul 93	EPO	x		х
	EF-	EP-0.586-242-A1	9 Mar. 94	- EPO		;—	
		OT	HER DOCU	MENTS	(Includir	ng Author, Title, Date, P	ertinent Pages Etc.)
		Alekseev et al; "	Fiber Optic C	vroscope With Suppression o	f Excess Noise I	from the Radiation	Source ", Technie
	FA	Physical Letters,	24(9): 719-7	21, (September 1998)			
EXAMINER				DAT	E CONSIDERED		
		5.A.	/vwcn	اب		-5-04	on if not in
examine conformance	R: Initial e and not	l if citation considered to considered. Include	i, whether or no copy of this fo	ot citation is in conformance with	he applicant.	arr into an ough when	

m PTO-1449	ATION N	ISCLOSURE CUT		rt Number (Optional) 051.01		Applic 09/998	ation Num 1,944	ber		t 2 of 6
	IN AN A	PPLICATION 1 F	Applie Benne	cant						
(Use several	sheets if necessary)	Filing			Group 2877	Art Unit			
			\$/ TI	s. PATENT DOCUMENTS		1 2011				
EXAMINER INITIAL	DOC	UMENT NUMBER TRAC	DEMINITE OF	NAME	CL	ASS	subc	CLASS	FILING DA IF APPROPR	
SAT	AAO	4,756,589	01/15/86	Bricheno et al.						
	AAP	4,765,739	08/23/88	Koizumi et al.						
	AAQ	4,776,700	10/11/88	Frigo						
	AAR	4,796,993	01/10/89	Sonobe et al.						
	AAS	4,815,817	03/28/89	Levinson						
	TAA	4,842,409	06/27/89	Arditty et al.						
	AAU	4,848,910	07/18/89	Dupraz						
	AAV	4,883,358	11/28/89	Okada				<u> </u>		
	AAW	4,887,900	12/19/89	Hall	ļ					
	AAX	4,943,132	07/24/90	Huang			<u> </u>	<u> </u>		
J	AAY	5,033,854	07/23/91	Matthews et al.						
SAT	- AAZ	5,048,962	09/17/91	Kurokawa et al.					J	
			FOR	EIGN PATENT DOCUMENT	S					
	DO	CUMENT NUMBER	DATE	COUNTRY	C	LASS	SUB	CLASS	Translati YES	NO
	EG	JP 07209398	11 Aug 95	Japan	1				English Abstract	x
	ЕН	EF 0 686 867 A1	13 Dec 95	European Patent Application						↓^
	EI	ÉP 0 722 081 A2	19 July 96	European Patent Application	ļ					
	EJ	EP-856 737 A1	3 Aug. 98	EPO	,		_			
	EK	-EP 0 871 009 A1	14 Oct. 98	EPO .						
, , , , , , , , , , , , , , , , , , , 	EL	EP 0 872 756 A1	21.90.98	European Pasent Application	 - 					
	EM	₩O98/58268 A	23 Dec 98	PCT (corresponds to 0,023,391)	#		_			
	EN	w000/30/25	22 June 00	РСТ						
	EO	-yr000/31551	2 June 00	PCT	\perp	<u>.</u>				
		OT	HER DOCU	MENTS	(Incl	uding Au	thor, Title	, Date, P	ertinent Pages E	(c.)

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.

DATE CONSIDERED

EXAMINER

Form PTO-1449			I Dock	et Number (Optional)		Applie	ation Nun	nber	Sheet 3 of 6
INFORMAT	ION D	ISCLOSURE CHTA	TION KVC	-051.01		09/991			
IN (Use	N AN A	APPLICATION 1	Appli						
(333		OCT 1	4 2003 Sector	Date per 31, 2001		Group 2877	Art Unit		
			MIT	S. PATENT DOCUM	MENTS 1		A		
EXAMINER INITIAL	DOC	UMENT NUMBER	DEMANTE	NAME		CLASS	SUE	CLASS	FILING DATE IF APPROPRIATE
5.AT.	ВА	5,056,919	10/15/91	Arditty et al.					
Λ	BB	5,063,290	11/05/91	Kersey					
	вс	5,074,665	12/24/91	Huang et al.			ļ		
	BD	5,080,489	01/14/92	Nishikawa et al.			ļ		,
	BE	5,096,312	03/17/92	Huang			_		
	BF	5,106,193	04/21/92	Fesler et al.					``
	ВG	5,133,600	07/28/92	Schröder					
	вн	5,135,555	08/04/92	Coyle, Jr. et al.					
	ві	5,136,235	08/04/92	Brandle et al.		_			
	BJ	5,289,257	02/22/94	Kurokawa et al.					
	вк	5,289,258	02/22/94	Szafraniec, et al.					
	BL	5,331,404	07/19/94	Moeller et al.			ļ		
	ВМ	5,351,123	09/27/94	Spahlinger					
	BN	5,359,413	10/25/94	Chang et al.			<u> </u>		
	во	5,365,338	11/15/94	Bramson					
	ВР	5,406,370	04/11/95	Huang et al.					
	BQ	5,412,471	05/02/95	Tada et al.					
	BR	5,457,532	10/10/95	August et al.					
	BS	5,459,575	10/17/95	Malvem			1		
	ВТ	5,469,257	11/21/95	Blake et al.					
V .	BU	5,469,267	11/21/95	Wang					
5A7	BV	5,471,301	11/28/95	Kumagai et al.	1	<u> </u>			
		ОТ	HER DOCU	MENTS	1 - 4151	(Including Aut)	or, Title,	Date, Pe	rtinent Pages Etc.)
	FC	Blake and Szafre OWB2, pp. 122-		a Noise in PM and Depo	farized Fiber (J <u>yros", USA</u>	- 2 Ambi	osiumi e	rocecumys, 1937,
EXAMINER	<u> </u>	<u> </u>			DATE CONSIDE	RED			
LANIMAN		5.A.	t citation is in conformance		5-5-	04			
EXAMINER:	Initial and not	if citation considered considered. Include	d, whether or no copy of this for	t citation is in conformance m with next communication	with MPEP § (n to the applica	509; Draw lir nt.	e throug	gh citatio	n if not in

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

om PTO-1449 INFORMATION DISCLOSURE CITATION				Docket Number (Optional) KVC-051.01			Application Number 09/998,944			
	IN AN A	APPLICATION '	Appl Benn							
(U	ise severai	sheets if decessary)	Filing				Group Art Unit 2877			
		2	Jr) U	S. PATENT DOCUM	ENTS			EII DIC DATE		
EXAMINER INITIAL	DOC	CUMENT NUMBERAL	EMAPI ATE	NAME	CLA	ss	SUBCLASS	FILING DATE IF APPROPRIATE		
SIT	вw	5,475,772	12/12/95	Hung et al.		,	1			
1	вх	5,493,396	02/20/96	Sewell						
	вч	5,500,909	03/19/96	Meier						
	BZ	5,504,684	04/02/96	Lau et al.						
	CA	5,513,003	04/30/96	Morgan.						
	СВ	5,552,887	09/03/96	Dyott						
	сс	5,559,908	09/24/96	August, et al.		_				
	CD	5,602,642	02/11/97	Bergh et al.						
	CE	5,644,397	07/01/97	Blake						
	CF	5,654,906	08/05/97	Youngquist						
	CG	5,655,035	08/05/97	Burmenko						
	СН	5,682,241	10/28/97	Mark et al.						
	CI	5,696,858	12/09/97	Blake.						
	C1	5,701,177	12/23/97	Kumagai et al.			 			
	СК	5,701,376	12/23/97	Shirasaki						
	CL	5,767,509	06/16/98	Cardova et al.						
	СМ	5,781,675	07/14/98	Tseng et al.						
	CN	5,854,864	12/29/98	Knoesen et al.			1			
	со	5,898,496	04/27/99	Huang et al.			1-1-			
V	СР	5,946,097	08/31/99	Sanders et al.			11			
5A.	CQ	CQ 5,953,121 09		4/99 Bohnert et al.		, ,				
			THER DOCU					ertinent Pages Etc.)		
	FD	Bohnert. et al., "F	ield Test of In	erferometric Optical Fiber	High-Voltage and	Сштег	nt Sensors" SF	PIE, Vol. 2360 pp.		
EVANABIED				T	DATE CONSIDERED					
EXAMINER		5.6	7. Tran	er		5~0		16 - A is		
EXAMINE conforman	R: Initia	al if citation considered to considered. Include	ed, whether or n le copy of this fo	ot citation is in conformance	with MPEP § 609; I to the applicant.	Oraw lin	e through citati	on if not in		

Form PTO-1449			I De	ocket Number (Optional)		Amilia	tion Number	Sheet 5 of 6		
INFORMATION DISCLOSURE CITATION			ATION K	KVC-051.01			Application Number 09/998,944			
	IN A Use se	N APPLICATION Programs in the state of the s	E Ap	Applicant Bennett, S.						
,	,0000		C Fi	Filing Date Group Art Unit						
ļ	U.S. PATENT DOCUMENTS									
EXAMINER U.S. PATENT DOCUMENTS										
INITIAL		DOCUMENT MBER	THIRD ATE	NAME	1	CLASS	SUBGLASS	FILING DATE IF APPROPRIATE		
5.47.	CI	5,987,195	11/16/99	Blake						
//	CS	6,023,331	02/08/00	Blake et al						
	CI	6,025,915	02/15/00	Michal, et al.						
	CL	6,047,095	04/04/00	Knoesen et al.						
	cv	6,075,915	6/13/00	Koops et al.						
	CW	6,148,131	11/14/00	Geertman						
	СХ	6,163,632	12/19/00	Rickman et al.						
	СУ	6,185,033	02/06/01	Bosc et al.						
	CZ	6,188,811	02/13/01	Blake						
	DA	6,208,775	03/27/01	Dyott						
	DB	6,233,371	05/15/01	Kim et al.						
	DC	6,301,400	10/09/01	Sanders						
	DD	6,307,632	10/23/01	Blake						
	DE	6,351,310	02/26/02	Emge et al.						
	DF	6,356,351	03/12/02	Blake						
	DG	6,370,289	04/09/02	Bennett						
	DH	6,389,185	01/08/01	Meise et al.						
	DI	6,396,965	11/22/00	Anderson						
V	DJ	6,434,285	. 08/13/02	Blake et al.						
SAT	DK	6,535,654	03/18/03	Goettsche et al.]				
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages Etc.)										
<	FE.	Bohnert, et al., "Ten (Feb. 1994).	perature and	Vibration Insensitive Fiber-Optic C	urrent :	Sensor" AL	3B, Vol. 2360	pp 336-339		
EXAMINER			·	DATE CONS	IDEBED					
5.A Ti vana 5-5-04										
EXAMINER	Initi	al if citation considered.	whether or not	citation is in conformance with MPFP	δ 609· I	Draw line th	much citation	if not in		
conformance	EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.									

om PTO-1449 INFORMATION DISCLOSURE OF A TON			Docket Number (Optional) KVC-051.01	Application Number 09/998,944							
IN IN	AN	APPLICATION'	Applicant Bennett, S.								
,,,,,		OCT 1 4 2003 15	Filing Date October 31, 2001	Group Art Unit 2877							
		OTHER OO		(Including Author, Title, Date, Pertinent Pages Etc.)							
	FF	Burns, et 2, "Excess Nesse in	Fiber Gyroscope Sources", IE	EE Photonics Technology Letter, Vol 2, No. 8, August 1990,							
	FG	Clark et al., "Application of a PLL and ALL Noise Reduction Process in Optical Sensing System," <i>IEEE Translations on Industrial Electronics</i> , Vol. 44, No. 1, February 1997, pp. 136-138									
	FH	Dagenais et al., "Low-Frequency Intensity Noise Reduction for Fiber-Optic Sensor Applications," Optical Fiber Sensors Conference, 1992, January 29-31, pp. 177-180									
	F <u>I</u>	Dupraz, J.P., "Fiber-Optic Interferometers for Current Measurement: Principles and Technology", Alsthom Review No. 9: 29-44 (December 1987).									
	FJ	33 (25): 6111-6122 (Septembe	r 1, 1994).	eter for a Piber-Optic Faraday Current Sensor", Applied Optics							
	FK	Gronau Yuval et al.; "Digital S Society of America, Washingto	Signal Processing For An Oper on, U.S., vol. 34, no. 25, 1 Ser	n-Loop Fiber-Optic Gyroscope", Applied Optics, Optical stember 1995, pgs. 5849-5853							
	FL			IEEE AES Systems Magazine, pp. 6-10 (July 1994)							
	FM	La Violette and Bossler: "Phase Position Location and Navigation	Modulation Control for An lion Symposium, Las Vegas, (Interferometric Fiber Optic Gyroscope", IEEE Plan 90, March 20-23, 1990)							
	FN		•								
	Fσ	McCallion and Shimazu; Sid \$24, (September 1, 1998)	e-Polished Fiber Provides Fur	ctionality and Transparency", Laser Focus World, 34 (9): S19-							
	FP	Moeller and Burns, "1.06µm A Sensors", IEEE-OSA, Montere		Subtraction, Proceedings of the Conference on Optical Fiber							
	FQ	Moeller and Burns, "Observation 21, pp=171-173.	on of Thermal Noise in a Dy	namically Biased Fiber-Optic Gyro", Optical Letters, 1996, Vol.							
	FR	Nikos Drakos, "Circular Polari University of Leeds (March 2,		warter-Wave Plates," Computer Based Learning Unit,							
	FS	Ono et al.; " A Small -Sized, Co 1078-1083, (1990	mpact, Open-loop Pibre-Optic (Gyroscope with Stabilized Scale Factor", Meas. Sci. Technol. 1:							
	FT	Polynkin et al.; " All-Optical No 1, 2000)	ise-Subtraction Scheme for a F	iber-Optic Gyroscope", Optics Letters, 25(3): 147-149, (February							
	FU	Rabelo et al.; "SNR Enhancement of Intensity Noise-Limited FOGs", Journal of Lightwave Technology 18(12):2146-2150 (December 2000)									
	F۷	Short, S. et al., "Elimination of I Journal of Lightwave Technolog		tor Errors in the In-Line Sagnac Interferometer Current Sen sor", 1998).							
EXAMINER		5,A. Time	<u>ــ</u>	DATE CONSIDERED 5. 5-0 4							
EXAMINER: conformance as	Initi	al if citation considered, whether of the considered. Include copy of this	or not citation is in conformance is form with next communication	e with MPEP § 609; Draw line through citation if not in n to the applicant.							